

## Data Surge Protector SPD CPX Indoor 10/100 Base-T Ethernet/ PoE+ Shielded RJ45 SASD CE Compliant, IEC60950-1, ATEX

### 1000-1402 CPX PoE Module



#### Features

- UL/IEC60950-1, ATEX
- Purpose Designed Modules for all Common Data Protocols
- RJ-45 Connectivity
- Fused and Non-Fused Options
- Mount into CPX Chassis 16-Port 1101-972 or 4-Port 1101-1137

#### Applications

- 10/100 Base-T Ethernet/PoE+ Networks
- Telecommunications Base Stations
- WISP/ISP
- IT & Data Centers
- Point-to-Point Links
- Control Lines and Sense Loops
- Oil & Gas

#### Description

Data surge protector (also known as SPD or lightning protector) 1000-1402 from Transtector is an indoor style SPD that utilizes state of the art SASD technology to protect critical equipment in 10/100 Base-T Ethernet/PoE+ protocol data networks while remaining transparent to data throughput. This surge protector provides effective protection against electrical transient surges that are generated both by external lightning events and by internal switching events and supports long-term system reliability by absorbing high amounts of transient energy while maintaining a very low clamping voltage. Transtector Data Signal surge protectors are available in stock with same day shipping.

#### Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Connectors		Shielded RJ45		
Compatible Cables		Cat5/5e UTP/STP, Cat6/6A STP		
Data Protocols		10/100 Base-T Ethernet/PoE+		
Data Rate			100	Mb/s
Characteristic Impedance			100	Ohms
Series Impedance (Data)			1	Ohms
Power over Ethernet Protocols		PoE		
Vdc Rating (Data)		48	60	Vdc
PoE Power			60	W
PoE Current Per Pin			1	A

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications:  
[Data Surge Protector SPD CPX Indoor 10/100 Base-T Ethernet/PoE+ Shielded RJ45 SASD CE Compliant, IEC60950-1, ATEX 1000-1402](#)

Data Surge Protector SPD CPX Indoor 10/100 Base-T Ethernet/  
 PoE+ Shielded RJ45 SASD CE Compliant, IEC60950-1, ATEX

**1000-1402**  
 CPX PoE Module



### Surge Protection Specification

Description	Minimum	Typical	Maximum	Units
Surge Protection Technology		SASD		
Protected Pins		[1,2], [3,6], [4,5], [7,8]		
Protection Modes		L-G		
10/1000µs Surge Current				
L-G			100	A
V <sub>pl</sub> 10/1000µs				
L-G		75 @ 100A		V <sub>pk</sub>
Response Time			5	ns

### Mechanical Specifications

#### Size

Height	0.99 in	[25.15 mm]
Width	1.63 in	[41.4 mm]
Depth	3.08 in	[78.23 mm]
Weight	0.15 lbs	[68.04 g]

### Environmental Specifications

Operating Temperature	-40 to +65 deg C
Storage Temperature	-40 to +65 deg C

Mount Type	Protection Module Bay
Installation Hardware	4-20 x 3/8" Plastite Screws

### Compliance Certifications

CE Compliant	Yes
UL Compliant	Yes
Certifications	EN/IEC 60950-1 Class 1 Division 2 Groups A,B,C,D T6 Class 1 Zone 2 AEx ec IIC T6 Gc EX ec IIC T6 Gc

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications:  
[Data Surge Protector SPD CPX Indoor 10/100 Base-T Ethernet/PoE+ Shielded RJ45 SASD CE Compliant, IEC60950-1, ATEX 1000-1402](#)

Data Surge Protector SPD CPX Indoor 10/100 Base-T Ethernet/  
PoE+ Shielded RJ45 SASD CE Compliant, IEC60950-1, ATEX

**1000-1402**  
CPX PoE Module



II 3 G Ex ec IIC T6 Gc  
ITS14ATEX48147X  
ETL14CA101699377X  
NOM

Transtector Systems specializes in protection of highly sensitive, low voltage equipment through its patented, non-degrading silicon diode technology and custom filters. Our power quality expertise translates into a diverse product offering including AC, DC, and signal applications as well as integrated cabinets, power distribution panels and EMP hardened devices.

Click the following link (or enter part number in “SEARCH” on website) to obtain additional part information including price, inventory and certifications: [Data Surge Protector SPD CPX Indoor 10/100 Base-T Ethernet/PoE+ Shielded RJ45 SASD CE Compliant, IEC60950-1, ATEX 1000-1402](#)

URL: <https://www.transtector.com/data-surge-protector-spd-cpx-indoor-10-1000-1402-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Transtector reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Transtector does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Transtector does not assume any liability arising out of the use of any part or documentation.

Data Surge Protector SPD CPX Indoor 10/100 Base-T Ethernet/PoE+  
Shielded RJ45 SASD CE Compliant, IEC60950-1, ATEX

1000-1402 CAD Drawing

