

Electrical Cabinet SMALL CELL BREAKER Single-phase 120 Vac 7A, Field-configurable, UL 489

3750-302-7

Branch Breaker, 120V, 7A, Field-Configurable



Features

- Branch Breakers for SC-2MMA9 Series Small Cell Cabinets
- Field-configurable
- UL489 Listed

Applications

- Small Cells
- Pico Cells
- Micro Cells
- Macro Cells
- 5G Nodes
- DAS Systems
- Load Expansion

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Service Voltage		120		Vac
Branch Breaker Rating		7A		A
Breaker Type		Field-configurable		

Mechanical Specifications

Size

Outer Height	2.9in	[73.66 mm]
Outer Width	3.66 in	[92.96 mm]
Outer Depth	0.52 in	[13.21mm]
Weight	0.2 lbs	[90.72 g]

Installation

Service Wiring Terminals	Compression Lug #2 AWG to #18 AWG
--------------------------	--------------------------------------

Environmental Specifications

Temperature (Operating Range)	-20 to +65 deg C
-------------------------------	------------------

Compliance Certifications

UL Listed	UL 489
-----------	--------

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications:
[Electrical Cabinet SMALL CELL BREAKER Single-phase 120 Vac 7A, Field-configurable, UL 489 3750-302-7](#)

Electrical Cabinet SMALL CELL BREAKER Single-phase 120 Vac 7A, Field-configurable, UL 489

3750-302-7
Branch Breaker, 120V, 7A, Field-Configurable




Transtector Systems specializes in protection of highly sensitive, low voltage equipment through its patented, non-degrading silicon diode technology and custom filters. Our power quality expertise translates into a diverse product offering including AC, DC, and signal applications as well as integrated cabinets, power distribution panels and EMP hardened devices.

Click the following link (or enter part number in “SEARCH” on website) to obtain additional part information including price, inventory and certifications: [Electrical Cabinet SMALL CELL BREAKER Single-phase 120 Vac 7A, Field-configurable, UL 489 3750-302-7](https://www.transtector.com/electrical-cabinet-small-cell-breaker-single-phase-120-vac-7a-field-configurable-ul-489-3750-302-7)

URL: <https://www.transtector.com/electrical-cabinet-small-cell-breaker-single-phase-3750-302-7-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Transtector reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Transtector does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Transtector does not assume any liability arising out of the use of any part or documentation.

3750-302-7 CAD Drawing



REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	8/29/19	DWR

UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE INCHES DIMENSIONS IN [] ARE MILLIMETERS

TOLERANCES:
 X±.2 [5.08] FRACTIONS ±.132
 .XX±.01 [25] ANGLES ±1°
 .XXX±.005 [13]

ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY.
 THIRD-ANGLE PROJECTION

THE INFORMATION AND DESIGN IN THIS DOCUMENT IS THE PROPERTY OF TRANSTECTOR, INC. ALL RIGHTS RESERVED.

SHEET 1 OF 1
 SCALE 1:2

www.transector.com | e-mail: sales@transector.com

10701 Airport Road, Hayden, ID 83835
 Phone: 1.208.635.6400 | 1.800.882.9110
 Fax: 1.208.955.2041

an INFINITI brand

TRANSTECTOR

SIZE CAGE DRAWN BY PART NUMBER
 A 30992 HMB 3750-302-7
 REV A

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.