

30x24x11 UL Listed Fiberglass Reinf Polyester FRP Weatherproof Outdoor IP66 NEMA 4 Enclosure, Gray

TEF302411

Features

- UL® Listed Molded Fiberglass Reinforced Polyester (FRP) industrial enclosure
- 6 Stainless steel quick release latches with padlock hasps

Applications

- Electrical junction box
- Indoor and outdoor installations
- · Remote Wireless LAN WiFi equipment installations

- NEMA Type 4 / IP66 rated*
- Fully gasketed lid & integral mounting flange
- · Corrosive environments & hotspot applications
- Protection of equipment from theft or damage

Description

The TEF302411 enclosure is a rugged, roomy, weatherproof, enclosure that is ideal for both indoor and outdoor applications. Constructed from molded fiberglass, it is designed for use as an electrical junction box in high temperature or corrosive environments providing protection for equipment and operators from indirect electrical contact. The integrated mounting flange allows it to be mounted directly to any flat wall surface provided proper screws are used into secure studs. The fully gasketed lid features a stainless steel continuous hinge and (6X) stainless steel quick release latches with padlock hasps, (2X) on each of the non-hinge sides of the lid. The enclosure material is UV stabilized and comes in machine tool gray.

The TEF302411 is also ideal for custom applications, which may require special modifications to the enclosure. Mounting stand-offs inside the enclosure can be used for mounting one of our blank accessory plates like the aluminum TEF-PLATE37 or the non-metallic starboard TEF-PLATE38 (both sold separately).

The TEF302411 comes with a UL Listing Mark in every enclosure. Ideal for all construction sites and equipment enclosure applications.

*Note: Any holes or openings you might introduce must be properly sealed to maintain NEMA Type 4 / IP66 rating

Size		
Outer Height	31.47 in [799.34 mm]	
Outer Width	25.47 in [646.94 mm]	
Outer Depth	11.02 in [279.91 mm]	
Inner Height	30 in [762 mm]	
Inner Width	24 in [609.6 mm]	
Inner Depth	10.59 in [268.99 mm]	
Weight	31 lbs [14.06 kg]	
Enclosure Material	Fiberglass Reinforced Polyester (FRP)	
Environmental Specifications		
Temperature Rating	-50 to +150 deg C	
NEMA Rating	4	
Ingress Protection (IP) Rating	IP66	

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 30x24x11 UL Listed Fiberglass Reinf Polyester FRP Weatherproof Outdoor IP66 NEMA 4 Enclosure, Gray TEF302411



1



30x24x11 UL Listed Fiberglass Reinf Polyester FRP Weatherproof Outdoor IP66 NEMA 4 Enclosure, Gray

TEF302411



Compliance Certifications

UL Listed

E211451

Transtector Systems specializes in protection of highly sensitive, low voltage equipment through its patented, non-degrading silicon diode technology and custom filters. Our power quality expertise translates into a diverse product offering including AC, DC, and signal applications as well as integrated cabinets, power distribution panels and EMP hardened devices.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 30x24x11 UL Listed Fiberglass Reinf Polyester FRP Weatherproof Outdoor IP66 NEMA 4 Enclosure, Gray TEF302411

URL: https://www.transtector.com/30x24x11-ul-listed-fiberglass-reinf-polyester-frp-tef302411-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Transtector reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Transtector does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Transtector does not assume any liability arising out of the use of any part or documentation.

TEF302411 CAD Drawing

